

RAIZER



HOSE REELS & HOSES

BALZER

HOSE REEL MODELS

Sizes Available

Description

6 Hose

Open Reel Single Axle

8 Hose

Open Reel Single Axle

8 Hose

Open Reel Tandem Axle
(holds up to 10 hoses)

KEY FEATURES


- Heavy duty 3 and 4 inch spindle assemblies
- “Auto-Reel” gear box with powered roll, unroll and neutral positions
- PTO drive
- Single and tandem axles with 445/65 R22.5 tires
- Rear hose indexer on tandem axle unit



Tandem Reel
Adjustable Hitch



Auto Reel
Gear Box



Heavy Duty Chain
Drive System



Single Axle Hydraulic
Swivel Hitch



liquid manure hoses

INJECTION HOSE



Dragman Drag Hose

SPECIFICATIONS

	4 1/2" Drag Hose	5" Drag Hose	5 1/2" Drag Hose	6" Drag Hose	8" Drag Hose
Inner diameter	4.63"	5.14"	5.57"	6.15"	8.11"
Wall thickness	0.14"	0.14"	0.15"	0.15"	0.16"
Pounds per foot	1.00	1.14	1.29	1.40	2.17
Burst pressure	510 psi	460 psi	405 psi	405 psi	405 psi
Max. working pressure	255 psi	230 psi	203 psi	203 psi	203 psi
Tensile strength	35,000 lbs.	38,900 lbs.	45,400 lbs.	54,600 lbs.	101,500 lbs.
Color	Orange	Orange	Orange	Orange	Orange

FEEDER HOSE




Flexitex Extra & Flexitex HP Feeder Hose



Superman PU

SPECIFICATIONS

	4" Flexitex	4 1/2" Flexitex	6" Flexitex	6" Flexitex HP	8" PU Superman	12" PU Superman
Inner diameter	4.18"	4.68"	6.19"	6.19"	8.11"	12.21"
Wall thickness	0.13"	0.13"	0.15"	0.16"	0.16"	0.18"
Pounds per foot	0.83	0.94	1.48	1.55	2.09	3.33
Burst pressure	530 psi	500 psi	600 psi	783 psi	600 psi	435 psi
Max. working pressure	265 psi	250 psi	300 psi	392 psi	300 psi	218 psi
Tensile strength	22,450 lbs.	24,650 lbs.	36,500 lbs.	54,100 lbs.	81,400 lbs.	123,200 lbs.
Color	Black	Black	Black	Black	Black	Black



www.balzerinc.com